Index to Vol. 19

1974

Kay Prophet

A

Acacia berlandieri, 331
constricta, 246
emoryana, 331
greggii, 331
Aceraceae, ecotypes, 395
Acer negundo, 159, 395
saccharinum, 161
Actitis macularia, 3
Adams, Warren H., see Lindsay, Hague L., and . . . . . .
Ambloplites rupestris, 263
Ambrosia trifida, 160
Amia calva, 260
Anguilla rostrata, 260
Anolis carolinensis, 9
Anthonomus dealbatus, 313
decipiens, 317
heterogenus, 319
heterothecae, 319
leucostictus, 325
pusillus, 318
squamans, 323
testaceosquamosus, 323
xanthoxyli, 325
Antrozous pallidus, 272
Aphredoderus sayanus, 263
Arceuthobium americanum, 65
Arizona elegans, 194
Armstrong, David M., Second record of the Mexican big-eared bat in Utah, 114–115
Arnold, Keith A., Review: A field guide to Mexican birds and adjacent Central America, 225
Artman, Michael F., see Baar, Stephen L., and . . . . . .
Ashmunella mearnsi, 62
Astacidae, 171
Aster gypsophila, 123
sonorae, 361

B

Baar, Stephen L., Eugene D. Fleharty, and Michael F. Artman, Utilization of deep burrows and nests by cotton rats in West-central Kansas, 440–444
Bailey, Edgar P., Notes on the development, mating behavior, and vocalization of captive Ringtails, 117–119
Baiomys taylori, 284
Balding, F. R. and G. L. Cunningham, The influence of soil water potential on the perennial vegetation of a desert arroyo, 241–248
Banta, Benjamin H. and Patrick J. Marer, Black Petrel impaled on a century plant, 215
Barr, Mary L. and Loren D. Potter, Chlorophylls and carotenoids in aspen bark (*Populus tremuloides*), 147–154
Bassariscus astutus nevadensis, 117
Bat, Mexican Big-eared, 114
Beadles, John K., The spotfin shiner in Northeastern Arkansas, 219–220
Bellah, R. Glenn and Lloyd C. Hulbert, Forest succession on the Republican River floodplain in Clay County, Kansas, 155–166
Best, Troy L., Harold A. Smith and Steven Erkenbeck, Scissor-tailed Flycatcher (*Muscivora forficata*) in Baja California, Mexico, 439–440
Bird records, Guadalupe Mountains, 1
Boraginaceae, 127, 139
Brown, Lauren L., Behavioral reactions of bullfrogs while attempting to eat toads 335–337
Brunken, Jere H., and James R. Estes, Cytological and morphological variation in *Panicum virgatum* L., 379–386

Bulimulus pasonis, 60
Bullfrog, 107
Burke, Horace, R., and Danny B. Gates, Bionomics of several North American species of *Anthonomus* (Coleoptera: Curculionidae), 313–327
Burns, Richard J., and Raul Flores Crespo, Notes on local movement and reproduction of vampire bats in Colima, Mexico, 446–449
Buteo albonotatus, 2
swainsoni, 111

C

Cain, Brian W., Review: An introduction to ecology and population biology, 121–122
Caltha leptosepala, 131
Camel, Pleistocene, 341
Camelops traviswhitei, 341
Campostoma anomalum, 261
Caprimulgus vociferns, 4
Catalpa speciosa, 161
Catharus ustulatus, 5
Celtis occilentalis, 158
Cenchrus incertus, 289
Chandler, Clay M., and Julian T. Darlington, A survey of the epigean planarians (Turbellaria, Tricladida, Paludicola) of New Mexico, 387–394
Chapman, Brian R., and Robert L. Packard, An ecological study of Merriam's pocket mouse in Southeastern Texas, 291–291
Chapman, Joseph A., and Raymond P. Morgan II, Onset of the breeding season and size of first litters in two species of cottontails from Southwestern Texas, 277–280
Chelonarium lecontei, 437
Chenopodium glabrescens, 249
neomexicanum, 253
olidum, 249
vulvaria, 253
watsonii, 249
Christiansen, James L., see Degenhardt, William G., and . . . . . .
Chrysemys picta belli, 33
Clark, Donald R., Jr., and James C. Kroll, Thermal ecology of anoline lizards: Temperate versus tropical strategies, 9–19
Clark, William J., see Reimer, Rollin D., and . . . . . .
Cloutman, Donald G., and Larry L. Olmsted, A survey of the fishes of the Cossatot River in Southwestern Arkansas, 257–266
Compositae, 123
Constantz, George D., Reproductive effort in *Poeciliopsis occidentalis* (Poeciliidae), 47–52
Conyza canadensis, 160
Cooper, James N., and Jerry Wilhm, Spatial and temporal variation in productivity, species diversity, and pigment diversity of periphyton in a stream receiving domestic and oil refinery effluents, 413–428
Cornus drummondi, 163
Crawford, Daniel J., The validity of *Chenopodium glabrescens* (Chenopodiaceae), 249–255
Crespo, Raúl Flores, see Burns, Richard J., and . . . . . .
Crotaphytus collaris, 193
Cryptantha atwoodii Nov. sp., 2, 127
Cunningham, G. L., see Balding, F. R., and . . . . . .
Cyprinodon bovinus, 179
tularosa, Nov. sp., 366
Cyprinus carpio, 260

D

Dalquist, Walter W., see Mooser, Oswaldo, and . . . . . .
Darlington, Julian T., see Chandler, Clay M., and . . . . . .
Decapod Crustaceans, 167
Degenhardt, William G., and James L. Christiansen, Distribution and habitats of turtles in New Mexico, 21–46
Demos, E. K., T. W. Wrenn, and G. J. Williams III, Further evidence of photoperiod ecotypes in *Acer negundo* L. (Aceraceae), 395–402

Dendroica pensylvanica, 6
Desmodus rotundus, 446
Diersing Victor W., and Donald F. Hoffmeister, The Rock Mouse, *Peromyscus difficilis*, in Western Texas, 213
Dipodomys agilis, 113
Dixon, James R., Review: Synopsis of the herpetafauna of Mexico. Volume II. Literature exclusive of the axolotl, 121
Dole, Jim W., Home range in the Canyon Tree Frog (*Hyla cadaverina*), 105–107
Dorosoma cepedianum, 260
Dugesia dorotocephala, 390
tigrina, 390

E

Echelle, Anthony A., and Robert Rush Miller, Rediscovery and redescription of the Leon Springs pupfish, *Cyprinodon bovinus*, from Pecos County, Texas, 179–190
Echelle, Anthony A., see Miller, Robert Rush, and . . . . . .
Elaphe guttata, 194
Empedonax aberholseri, 5
Ephedra trifurca, 246
Equisetum laevigatum, 160
Erimyzon oblongus, 262
Erkenbeck, Steven, see Best, Troy L., and . . . . . .
Esox niger, 260
americanus, 260
Estes, James R., see Brunken, Jere N., and . . . . . .
Etheostoma histrio, 264
nigrum, 264
proeliare, 264
radiosum, 264
spectabile, 264
Eugenes fulgens, 4
Eulamias merriami, 113
speciosus, 113
Eumeces multivergatus, 193
obsoletus, 193
Eutamias townsendii, 199

F

Falco peregrinus, 3
Fassler, David J., Terrestrial activity of the northern Pocket Gopher (Geomydiae) as indicated by owl predation, 453
Fishes, Cossatot River, 257
Dolores River, 406, 407
Yampa River, 408
Fleharty, Eugene D., see Baar, Stephen L., and . . . . . .
Fraxinus pensylvanica, 158
Fryhell, Paul A., The North American *Malvellas* (Malvaceae), 97–103
Fundulus catenatus, 263
notatus, 263
olivaceus, 263

G

Galium aparine, 160
Gamboa, George J., Effects of light and air on the trapping response of the Pocket Gopher, *Thomomys bottae* (Geomyidae), 444–446
Gambusia affinis, 263
Gastrocopta pellucida hordeacella, 60
Gates, Danny B., see Burke, Horace R., and . . . . . .
Gaura odorata, 290
Gehlbach, Frederick R., and J. Alan Holman, Paleoecology of amphibians and reptiles from Pratt Cave, Guadalupe Mountains National Park, Texas, 191–198
Gentry, Johnnie L., Jr., Studies in the Genus *Hackelia* (Boraginaceae) in the Western United States and Mexico, 139
Geomyidae, 444
Giezentanner, J. Brent, see Porter, David K., and . . . . . .
Gilbertson, R. L., Notes on wood-rotting Hymenomycetes in New Mexico, 346–360
Glaucomps sabrinus, 114
Glidewell, Jerry, Records of the snake *Coluber constrictor* (Reptilia: Colu-

bridae) from New Mexico and the Chihuahuan Desert of Texas, 215–217
Gramineae, 105
Gregor, Susan, Delbert Wiens, Robert E. Stevens and Frank G. Hawksworth, Pollination studies of *Arceuthobium americanum* in Utah and Colorado, 65–73
Griffing, James P., Scissor-tailed flycatchers and Swainson's hawks nesting in the same tree, 111–112
Gymnocladus dioica, 161

H

Hackelia amethystina, 144
besseyi, 139
brevicula, 140
patens var. *harrisonii*, 140
pinetorum var. *jonesii*, 142
ursina var. *diaboli*, 143
ursina var. *pustulata*, 144
Hansen, Carroll M. and Eugene D. Fleharty, Structural ecological parameters of a population of *Peromyscus maniculatus* in West-central Kansas, 293–303
Hawksworth, Frank G., see Gregor, Susan, and . . . . . .
Heidt, Gary A., see McKamie, James A., and . . . . . .
Helicodiscus singleyanus, 61
Hemidactylus turicus, 446
Higgins, Larry C., *Cryptantha atwoodii* (Boraginacea) a new species from Arizona, 127–130
Higgins, Larry C., *Rumex venosus* (Polygonaceae) new to Texas, 329
Hoffmeister, Donald F., The taxonomic status of *Perognathus penicillatus minimus* Burt, 213–214
Hoffmeister, Donald F., see Diersing, Victor E., and . . . . . .
Holden, Paul B., and Clair B. Stalnaker, Distribution of fishes in the Dolores and Yampa River systems of the Upper Colorado Basin, 403–412
Holman, J. Alan, see Gehlbach, Frederick R., and . . . . . .
Holospira metcalfi, Nov. sp. 53, 61
bilamellata, 55
Hulbert, Lloyd C., see Bellah, R. Glenn, and . . . . . .
Hybognathus nuchalis, 261
Hyla cadaverina, 105
Hylocichla mustelina, 5
Hymenomycetes, New Mexico, 346
Coniophoraceae, 348
Corticiaceae, 348
Cyphellaceae, 352
Echinodontiaceae, 352
Gomphaceae, 352
Hericiaceae, 352
Hydnaceae, 353
Hymenochaetaceae, 353
Lachnocladiaceae, 353
Polyporaceae, 354
Sparassidaceae, 357
Steccherinaceae, 357
Stereaceae, 357
Thelephoraceae, 357
Hymenoptera, Formicidae, 449
Hypsiglena torquata, 194

I

Ictalurus melas, 262
natalis, 262
punctatus, 262
Icterus cucullatus, 6
Ictiobus bubalus, 262

J

Johnson, Marshall C., *Acacia emoryana* in Texas and Mexico and its relationship to *A. berlandieri* and *A. greggii*, 331–333
Jones, Clyde, see Pagels, John F., and . . . . . .
Jones, John R. and Willis J. Rietveld, Occurrence of *Picea pungens* (Pinaceae) near Flagstaff, Arizona, 334–335
Judd, B. Ira, Plant succession of old fields in the dust bowl, 227–239
Juglans nigra, 161

K

Kameria glandulosa, 246

Kaspar, Timothy C., and John F. Parrish III, The porcupine, *Erethizon dorsatum* Linnaeus, (Rodentia), in Texas, 214–215
Kinosternon flavescens flavescens, 25
sonoriense, 28
Kolb, James A., and Marshall White, Small mammals of the San Bernadino Mountains, California, 112–114
Kroll, James C., see Clark, Donald R., and . . . . . .

L

Labidesthes sicculus, 263
Labidus coecus, 449
Lampropeltis getulus, 194
mexicana alterna, 330
Laner, Rold M., A new pine from Baja California and the Hybrid origin of *Pinus quadrifolia*, 75–95
Lanius excubitor, 429
ludovicianus, 429
Larrea tidentata, 246
Lepisosteus oculatus, 260
osseus, 260
Lepomis cyanellus, 263
gulosus, 263
macrochirus, 264
marginatus, 264
megalotis, 264
mirolophus, 264
Lindsay, Hague L. and Warren H. Adams, First published records of *Crystallaria asprella* in Oklahoma, 218–219
Lobelia X siphilitica var. *hybrida*, 329
Loxia curvirostra, 6

M

Maculara pomifera, 161
Mahler, Wm. F., *Gnaphalium helleri* Britton (Compositae-Inuleae) in the Texas flora, 329
Malvaceae, 97
Malvella lepidota, 101
leprosa, 101
sagittifolia, 102
sheradiana, 101
Marer, Patrick J., see Banta, Benjamin H., and . . . . . .
McBee, James T., see Poff, Mary J., and . . . . . .
McCoy, C. J., Communal hiberation of the lizard *Cnemidophorus tigris* (Teildae) in Colorado, 218
McKamie, James A., and Gary A. Heidt, A comparison of spring food habits of the bullfrog, *Rana catesbeiana*, in three habitats of Central Arkansas, *Meleagris gallopavo*, 3
Metcalf, Artie L., and Richard A. Smartt, Gastropods of Howell Ridge, Grant County, New Mexico: A fauna in the process of extinction?, 57–64
Microtus californicus, 113
Microtus ochrogaster, 116, 284
Micropterus dolomieui, 263
punctulatus, 263
salmoides, 263
Miller, Robert Rush and Anthony A. Echelle, *Cyprinodon tularosa*, a new cyprinodontid fish from the Tularosa Basin, New Mexico, 365–379
Miller, Robert Rush, See Echelle, Anthony A., and . . . . . .
Minytrema melanops, 262
Mooser, Oswaldo and Walter W. Dalquist, A new species of camel (Genus *Camelops*) from the pleistocene of Aguascalientes, Mexico, 341–345
Morgan, Raymond P. II, see Chapman, Joseph A., and . . . . . .
Morris, Michael I., A biosystematic analysis of the *Caltha leptosepala* (Ranunculaceae) complex in the Rocky Mountains II. Anatomy and Palynology, 131–138
Morus alba, 161
rubra, 158
Mozostoma carinatum, 262
duquesnei, 262
erythrurum, 262
Muscivora forficata, 111, 439
Mustela frenata, 114

N

Nadler, Charles F., see Sutton, Dallas A., and . . . . . .
Neanthes succinea, 333

Neivamyrmex angulimandibulatus, 309
Neotoma fuscipes, 113
Neptunia olearacea, 339
plena, 339
subescens var. *microcarpa*, 338
pubescens var. *pubescens*, 338
Newman, George A., Recent bird records from the Guadalupe Mountains, Texas, 1–7
New Mexico Gastropods, 57
Planarians, 387
Turtles, distribution and habitats, 21
Notemigonus crysoleucas, 261
Notropis atherinoides, 261
boops, 261
chrysocephalus, 261
emiliae, 261
ortenburgeri, 260
umbratilis, 260
whipplei, 261
Noturus eleutherus, 262
nocturnus, 262
Nucifraga columbiana, 5
Nycticeius humeralis, 271

O

Olmsted, Larry L., see Cloutman, Donald G., and . . . . . .
Onychomys leucogaster, 285
Opuntia leptocaulis, 290
Orconectes palmeri longimanus, 167
Oreohelix (Radiocentrum) ferrissi, 63

P

Packard, Robert L., see Chapman, Brian R., and . . . . . .
Pagel, John F. and Clyde Jones, Growth and development of the free-tailed bat, *Tadarida brasiliensis cynocephala* (Le Conte), 267–276
Palaemonetes kadiakensis, 175
Panicum hallii var. *filipes*, 105
virgatum, 379
Parrish, John F., III, see Kaspar Timothy C., and . . . . . .
Parthenocissus quinquifolia, 160
Percina caprodes, 264
copelandi, 264
pantherina, 265
sciera, 264
Periphyton, community composition, 418
Perognathus californicus, 114
flavescens, 283
longimembris, 283
merriami, 281
parvus, 285
Peromyscus boylii, 113
maniculatus, 113, 293
truei, 113
Phagocata crenophila, 391
Phrynosoma douglassi, 193
Picea pungens, 334
Pimephales notatus, 261
tenellus, 261
vigilax, 261
Pinus culminicola, 79
juarezensis, Nov. sp. 77
maximartinezii, 80
quadrifolia, 75
Plant succession, 227
Plantago rhodosperma, 289
Plecotus phyllotis, 114
townsendii, 272
Poeciliopsis occidentalis, 47
Poff, Mark J., Grady E. Williams III and James T. McBee, a case of cold kill of the nereid polychaete *Neanthes succinea* (Frey & Leuckark), 333–334
Polycelis coronata borealis, 391
Polygonum laphifolium, 160
Polyodon spathula, 260
Pomoxis annularis, 263
nigromaculatus, 263
Populus deltoides, 157
tremuloides, 147
Porter, David K., Mark A. Strong, J. Brent Giezentanner, and Rold A. Rider, Nest ecology, productivity, and growth of the loggerhead shrike on the short-grass prairie, 429–436
Potter, Loren D., see Barr, Mary L., and . . . . . .
Procambarus acutus, 171
clarki, 167, 171
incilis, 172
simulans simulans, 172

Prophet, Carl W. and John D. Ransom, Summer stream metabolism values for Cedar Creek, Kansas, 305–308
Prosopis glandulosa, 289
Pseudemys concinna texana, 38
scripta elegans, 37
scripta gaigeae, 40
Pylodictis olivaris, 262

Q

Quercus macrocarpa, 161

R

Rana catesbeiana, 107, 335
pipiens, 192
Ransom, John D., see Prophet, Carl W., and .....
Ranunculaceae, 131
Reimer, Rollin D., and William J. Clark, Decapod crustaceans of the Navasota River system in Central Texas, 167–178

S

Spermophilus beecheyi, 114
lateralis, 113
Sphyrapicus varius, 4
Stalling, Dick T., A Xanthocromic prairie vole and notes on associated literature, 115–117
Stalnaker, Clair B., see Holden, Paul B., and .....
Stevens, Robert E., see Gregor, Susan, and .....
Strong, Mark A., see Porter, David K., and .....
Succession, forest, 155
Succineidae, 60
Sutton, Dallas A. and Charles F. Nadler, Systematic revision of three Townsend chipmonks (*Eutamias townsendii*), 199–212
Sylvilagus audubonii neomexicanus, 277
bachmani ubericolor, 279
floridanus chapmani, 277

T

Tadarida brasiliensis cynocephala, 267
brasiliensis mexicana, 267
Tamarix gallica, 163
Terrapene ornata luteola, 32
ornata ornata, 30, 192
Thermal ecology, anoline lizards, 9
Thomomys bottae, 114, 444
Thompson, Fred G., A Xeric snail from New Mexico, 53–56
Thysanophora horni, 62
Trionyx muticus muticus, 40
spiniferus emoryi, 42
spiniferus hartwegi, 44
Tuff, Donald W., An anomolous wing in a male doryline ant *Labidus coecus* (Latreille), (Hymenoptera. Formicidae), 449–452
Tuff, Donald W., New distributional record for *Chelonarium lecontei* Thomson (Coleoptera: Chelonariidae), 437–439
Turner, B. L., *Aster gypsophila* (Compositae), A new endemic gypsophile from North-central Mexico, 123–126
Turner, B. L., John Bacon and Thomas Wendt, Chromosomes and phyletic position of *Aster sonorae* Gray (Asteraceae-sect. Oxytripolium), 361–364

U

Ulmus americana, 158
pumila, 163

V

Vermivora virginiae, 6
Viola papilionacea, 161
Vireo olivaceus, 5

W

Waller, Floyd R., A new combination in *Panicum* (Gramineae), 105
Watkins, Julian F., *Neivamyrmex angulimandibulatus*, new species (Formicidae: Dorylinae) from Cordoba, Mexico, 309–312
Wauer, Roland H., Range Extension of Mediterranean Gecko in Coahuila, Mexico, 446
Wendt, Thomas, see Turner, B. L., and .....
White, Marshall, see Kalb, James A., and .....

Wiens, Delbert, see Gregor, Susan, and . . . . . .

Wilhm, Jerry, see Cooper, James M., and . . . . . .

Williams, Grady E. III, see Poff, Mark J., and . . . . . .

Williams, C. J. III, see Demos, E. K., and . . . . . .

Windler, Bonnie Kay, see Windler, Donald R., and . . . . . .

Windler, Donald R. and Bonnie Kay Windler, *Neptunia* in Mexico (Leguminosae), 337–340

Witherspoon, John T., Rediscovery of a hybrid *Lobelia* (Campanulaceae) in Missouri, 329

Worthington, Richard D., Western records of the Davis Mountains kingsnake, *Lampropeltis mexicana alterna*, in Texas, 330–331

Wrenn, T. W., see Demos, E. K., and . . . . . .

Y

Young, David B., and James F. Scadday, An incidence of winter activity in . . *Myotis californicus*, 452